

EAD3 apetypes

Convention for values of EAD3 @localtype and @relator in Archives Portal Europe

This is a first draft of the convention for values of the EAD3 attributes @localtype and @relator suggested for the implementation of additional finding aids in EAD3/XML format in Archives Portal Europe, a pilot study produced in the context of a cooperation between the Archives Portal Europe Foundation (APEF) and the Dutch project Digitale Taken Rijk (DTR).

The XML version of the @localtype information of this page is available over here:

https://www.archivesportaleurope.net/uploads/generated_pdfs/ead3_apetypes.xml

@localtype path	@localtype value	language	possible content the @localtype value suggests in the indicated language
/corpname/part	business-residence	lang="dut"	[(bedrijfs)vestigingsplaats]
/corpname/part	corpname	lang="dut"	[bedrijfsnaam / organisatiennaam]
/corpname/part	dates	lang="dut"	[datums]
/corpname/part	legalform	lang="dut"	[rechtsvorm]
/corpname/part	private-residence	lang="dut"	[(privé)vestigingsplaats / woonplaats]
/corpname/part	remark	lang="dut"	[opmerking]
/famname/part	business-residence	lang="dut"	[(bedrijfs)vestigingsplaats]
/famname/part	famname	lang="dut"	[familienaam]
/famname/part	infix	lang="dut"	[tussenvoegsel]
/famname/part	lastname	lang="dut"	[achternaam]
/famname/part	private-residence	lang="dut"	[(privé)vestigingsplaats / woonplaats]
/famname/part	remark	lang="dut"	[opmerking]
/persname/part	age	lang="dut"	[leeftijd]
/persname/part	alias	lang="dut"	[andere naam]

@localtype path	@localtype value	language	possible content the @localtype value suggests in the indicated language
/persname/part	baptismplace	lang="dut"	[plaats waar doop plaats vond]
/persname/part	birthname	lang="dut"	[geboortenaam]
/persname/part	birthdate	lang="dut"	[geboortedatum]
/persname/part	birthplace	lang="dut"	[geboorteplaats]
/persname/part	burialdate	lang="dut"	[begraafdatum]
/persname/part	burialplace	lang="dut"	[plaats waar begrafenis plaats vond]
/persname/part	business-residence	lang="dut"	[(bedrijfs)vestigingsplaats]
/persname/part	dates	lang="dut"	[datums]
/persname/part	deathdate	lang="dut"	[overlijdensdatum]
/persname/part	deathplace	lang="dut"	[plaats van overlijden]
/persname/part	divorcedate	lang="dut"	[scheidingsdatum]
/persname/part	firstname	lang="dut"	[alle voornamen]
/persname/part	gender	lang="dut"	[geslacht: man / vrouw]
/persname/part	infix	lang="dut"	[tussenvoegsel]
/persname/part	infixtitle	lang="dut"	[titel (gepositioneerd in een naam)]
/persname/part	initials	lang="dut"	[initialen]
/persname/part	lastname	lang="dut"	[achternaam]
/persname/part	maritalstatus	lang="dut"	[huwelijkse staat]: alleenstaand / gehuwd / gescheiden / gescheiden van tafel en bed / jongedochter / jongeman / nietig verklaard / samenwonend / verloofd / weduwe / weduwnaar
/persname/part	marriagedate	lang="dut"	[huwelijksdatum]
/persname/part	marriageplace	lang="dut"	[plaats waar huwelijk plaats vond]

@localtype path	@localtype value	language	possible content the @localtype value suggests in the indicated language
/persname/part	patronym	lang="dut"	[patroniem]
/persname/part	persname	lang="dut"	[persoonsnaam / volledige naam zoals op de akte]
/persname/part	pretitle	lang="dut"	[titel (gepositioneerd voor een naam)]
/persname/part	private-residence	lang="dut"	[(privé)vestigingsplaats / woonplaats]
/persname/part	posttitle	lang="dut"	[titel (gepositioneerd na een naam)]
/persname/part	remark	lang="dut"	[opmerking]
/persname/part	role	lang="dut"	[rol]: bruid / bruidegom / dopeling / kind / moeder / moeder van de bruid / moeder van de bruidegom / overledene / vader / vader van de bruid / vader van de bruidegom
/persname/part	suffix	lang="dut"	[toevoegsel]
/dsc/c/did/unittitle/genreform/part	source	lang="eng"	[Note: the exact list for this value is still under construction]: notary_record / BMD_record / cadaster_registration / VOC_sailors / POW_registration, etc.
/dsc/c/did/unittitle/genreform/part	type_record	lang="dut"	[Note: the exact list for this value is still under construction]: for source="notary_record": minuut / brevet; for source="BMD_registration": dopen / trouwen / begraven - geboorte / huwelijk / overlijden
/dsc/c/did/unittitle/genreform/part	subject_record	lang="dut"	[Note: the exact list for this value is still under construction]: for source="notary_record": inventaris / openbare verkoping / roeiement / testament / transport / obligatie / provisionele veiling, etc.

@localtype path	@localtype value	language	possible content the @localtype value suggests in the indicated language
/dsc/c/scopecontent/event	baptism	lang="dut"	doop
/dsc/c/scopecontent/event	birth	lang="dut"	geboorte
/dsc/c/scopecontent/event	burial	lang="dut"	begrafenis
/dsc/c/scopecontent/event	death	lang="dut"	dood
/dsc/c/scopecontent/event	divorce	lang="dut"	scheiding
/dsc/c/scopecontent/event	marriage	lang="dut"	huwelijk
/dsc/c/scopecontent/event	notice of marriage	lang="dut"	ondertrouw
/dsc/c/scopecontent/event	other	lang="dut"	[anders] --> other value
/dsc/c/scopecontent/event	registration	lang="dut"	registratie
/dsc/c/scopecontent/subject	object	lang="dut"	[voorwerp]: --> connection with an existing controlled vocabulary?
/dsc/c/scopecontent/subject	topic	lang="dut"	[onderwerp]: --> connection with an existing controlled vocabulary?

@relator path	@relator value	language	possible content the @relator value suggests in the indicated language
/ead/archdesc/origination/persname	creator	lang="dut"	archiefvormer
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	actor	lang="dut"	uitvoerder
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	debtor	lang="dut"	debiteur
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	buyer	lang="dut"	koper
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	creditor	lang="dut"	crediteur
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	mentioned	lang="dut"	genoemd
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	seller	lang="dut"	verkoper
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	subject	lang="dut"	persoon in kwestie
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	subject-child	lang="dut"	kind van persoon in kwestie
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	subject-father	lang="dut"	vader van persoon in kwestie
/ead/archdesc/dsc/c/scopecontent/ --> /corpname, /famname, /persname	subject-mother	lang="dut"	moeder van persoon in kwestie